

VARI*LITE

VL800 PROPAR



The Vari-Lite VL800 PROPAR is an LED event PAR fixture that offers motorized zoom and has the DNA of Vari-Lite built in. Available in both black and white body options, this high output fixture is a cost-effective solution that looks, moves, and feels the way you expect from Vari-Lite. The VL800 PROPAR offers full RGBW color mixing and has gel-matched color presets to deliver the same visual results customers are accustomed to using. The fixture offers multi-mode fan control for use in quiet environments.



VARI*LITE



VL800 PROPAR

FEATURES AND BENEFITS

- **Cost-effective, high output LED professional PAR built by Vari-Lite** - affordable LED PAR from a brand you trust.
- **Full RGBW color mixing** - variable color mixing with saturation control, offering numerous vivid and creative color options
- **Gel color presets matched to traditional gel numbers** - use the colors you have always used without the need to change gels
- **Motorized zoom** - remote beam angle control with the smooth zoom movement of a Vari-Lite fixture
- **Multi-mode fan control** - adjust settings to control fan noise. Offers a low dB experience across all frequencies, eliminating buzzing or hums from an otherwise quiet device. Mode options include standard, studio, and whisper mode.
- **Adjustable frequency to exceed camera frame rates** - camera-friendly fixtures for IMAG or live televised events

LIMITED WARRANTY

Every Vari-Lite product is backed by a minimum 2-year limited warranty against manufacturing defects and workmanship. Refer to the [Vari-Lite Limited Warranty Card](http://www.vari-lite.com/global/support/warranty) available at www.vari-lite.com/global/support/warranty for more details.



VARI***LITE**

VL800 PROPAR

SOURCE

Type	Osram 30W RGBW LED array
Wattage	7 x 30W

OPTICAL PERFORMANCE

Output Lumens	3500 lm
Output CRI	CRI(Ra) >90
Output CCT	7300K (white color)

	LUX	FOOT-CANDLES
Narrow @ 5m	6700	622
Wide @ 5m	390	36
Narrow @ 10m	1645	153
Wide @ 10m	120	11

BEAM

Angle	6° - 40°
Control	Motorized

COLOR SYSTEM

Color mixing	RGBW
CTO	Pre-set CTO 2700 - 10000K
Fixed color	44 preset colors

NOISE LEVELS (BASE LEVEL 18.6dB)

Full operation	33.5dB
Standby	20.1dB
Fan modes	Standard, Studio, Whisper

USER INTERFACE

Type	4-push button control
-------------	-----------------------

POWER

Range	100-240 VAC input at 50/60 Hz
Connector type	Twist-Lock black/yellow - In / Thru
Wattage (max)	260W

DATA CONNECTIONS

DMX (RDM)	In and Thru 5-pin XLR
	16-bit = 15 channels (default)
DMX modes	8-bit = 10 channels
	Color mode = 5 channels

VL800 PROPAR

PHYSICALS

IP rating	IP20
Finish	Black or white



DIMENSIONS (H x W x L)

	mm	in
Fixture only	302 x 228 x 181	12 x 9 x 7
Packed dimensions	550 x 365 x 305	22 x 14 x 12

WEIGHT

	kg	lb
Fixture only	6.0	13.2
Packed weight	Net	14.1
	Gross	17.4

APPROBATIONS

Approval / listings	CE, ETL, UL, FCC CSA, RoHS, ISO 9001	 
----------------------------	--	--

PRODUCT NAME

PRODUCT NAME	ORDER CODE
VL800 PROPAR, 7 x 30w RGBW LED PAR, 6° to 40° motorized zoom, black case and power input connector	912400575000
VL800 PROPAR, 7 x 30w RGBW LED PAR, 6° to 40° motorized zoom, white case and power input connector	912400576843

ACCESSORIES

ACCESSORIES	ORDER CODE
VL800 PROPAR 185mm 4 leaf Barndoor assembly	912400575016
VL800 PROPAR top hat accessory	912400575017

©2021 Signify Holding. All rights reserved.

All trademarks are owned by Signify Holding or their respective owners. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Data subject to change.

Ref: 912400575000-100-A